



PERFECT TURF®
Grass Perfected For A Greener Future

Product Information



PERFECT TURF®

BRANDS

 PERFECTPLAY®
Synthetic Turf & Poured Rubber



PERFECTLAWN™



GOLF SERIES™



 PETGRASS®




RUGGED SERIES™



SPORTS SERIES™






PetGrass® Systems

PetGrass® was specifically designed with our furry friends in mind!

PetGrass® Classic Generation 6

Same great PetGrass®, now offering enhanced drainage with our new, flow-through backing system!



PetGrass® Eco

A cost-effective alternative with the same durable, safe design of PetGrass.



PetGrass® PODS®

The patented solution for installation on hard surfaces such as concrete or asphalt.





PetGrass® Classic Generation 6

Description: Introducing our PetGrass® Classic Generation 6! Adding to our already large drainage holes, Generation 6 has a new flow-through backing system, maximizing drainage, preventing rain water accumulation and bacteria buildup. Generation 6 includes PetGrass mainstays like large drainage holes, antimicrobial additives, durability and a short pile height for easier cleanup.

Applications: Indoors or outdoors, commercial and municipal dog parks or facilities, residential dog runs, or any anywhere that muddy paws are a problem

Face Weight: 60 oz.

Pile Height: 1.125"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone grass blades with the option of a tan or green thatch layer

Yarn Type: 10,000 denier, two-tone polyethylene blades with a 5,000 denier, texturized polyethylene thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 9.1 oz., stabilized, multi-layered, knitted polyethylene with 5 pic Action Bac

Secondary Backing: 18 oz., ultra-flo polyurethane coating secures dimensional stability and includes extra perforations to ensure complete drainage

Total Weight: 87.1 oz.

Drainage:

- Perforations: Approximately 2" x 3"
- Flow-Through


Infill Requirements: None

Warranty: 8-year commercial | 10-year residential



PetGrass® Generation 6

- Twice the industry standard amount of drainage holes
- Flow-through backing to maximize drainage
- Antimicrobial additives mitigate odor and bacteria buildup
- Highly durable for rough play or heavy use



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PetGrass® Eco

Description: PetGrass® Eco offers a budget-friendly option for large or small dog-friendly spaces. PetGrass Eco is a pet-friendly product without the additional expense of antimicrobial additives. However, Eco still provides the drainage, durability and high-quality product that customers expect from our PetGrass product line.

Applications: Indoors or outdoors, commercial and municipal dog parks or facilities and residential dog runs

Face Weight: 64 oz.

Pile Height: 1.25"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone grass blades with a combination green and tan thatch layer

Yarn Type: 11,800 denier, two-tone monofilament polyethylene grass blade and a curled polyethylene thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 24 oz. polyurethane

Total Weight: 94 oz.

Perforations: 2" x 2" on center with an additional hole in the center to ensure complete drainage

Infill Requirements: None

Warranty: 8-year commercial | 10-year residential



PetGrass® Eco

- Superior drainage
- Proven durability
- Tan thatch lends a more natural look
- Perfect, lower cost solution to muddy paws and ruined grass



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PetGrass® PODs®

Description: The PetGrass® POD® System is our patented solution for maintaining a sanitary environment when used on hard surfaces like concrete or asphalt, U.S. Patent No. 9,464,388. Our proprietary plastic drain tiles, combined with antimicrobial-infused PetGrass, result in a modular design that can be easily picked up to clean underneath the turf. This helps protect against mold and mildew which can cause odor and bacteria buildup. The POD system is portable or permanent, making maintenance easy and enabling a safer surface for our furry friends!

Applications: Indoors or outdoors, on hard surfaces such as concrete, asphalt or composite decking

Tile Sizes: Standard POD is 3' x 4' or 3' x 5', with custom sizes available

Infill Requirements: None

Warranty: 5-year commercial | 8-year residential



PetGrass® PODs®

- PODs create a clean an easy-to-maintain surface for dog daycares, pet hotels, and other high-volume dog facilities with hard surfaces
- Easy to install
- Perfect surface for:
 - Indoor or outdoor dog runs
 - Composite decking
 - Concrete patios
 - Rooftops
 - Kennels
 - Parking lot conversions
- U.S. Patent No. 9,464,388

ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PerfectPlay® Systems

Perfect Turf is a leader in providing playground surfacing that includes both synthetic turf and poured-in-placer rubber.

PlayGround Turf™ - The Most Advanced Synthetic Turf Safety Surfacing

Introducing our premium antistatic, antimicrobial turf, specifically made for playgrounds. The turf comes in a variety of colors and can be used side-by-side with the PerfectPlay® Poured Rubber Safety Surface System.

Both the Perfect Turf® PerfectPlay® Turf System and the Poured-in-Place Rubber System are IPEMA certified for public play surfacing.



PlayGround Turf 80™ PlayGround Turf 55™

PlayGround Turf™ comes in an 80 oz. and 55 oz. option to accommodate your playground surfacing needs. PlayGround Turf 80™ has a face weight and features that are unmatched within the industry, making it the premium playground-specific turf.

PlayGround Turf 55™ is a 55 oz. version of our premium playground surfacing system with uncompromised premium features and turf density, available with a lower price tag.



Poured-in-Place Rubber Surfacing

Perfect Turf also offers poured in place rubber surfacing to be used alongside turf or on its own. The endless design possibilities allow our PerfectPlay® System to be one of the most flexible systems on the market.



PerfectPlay® Turf Safety Surfacing System

Description: PerfectPlay® is the best synthetic turf option for playground safety surfacing. The system uses 100% recycled foam padding to help provide fall height protection up to 12'. The system layers industry-best PlayGround Turf™, over a closed-cell foam pad, which is then installed over a standard drainage layer. PerfectPlay is a freeze-thaw stable system that will not lose its fall height protection or texture due to cold temperatures.

Turf Styles: PlayGround Turf 80™ and PlayGround Turf 55™ are premium turf options that offer antistatic yarns and antimicrobial additives, infused into the yarn, keeping play surfaces cleaner and safer for children.

IPEMA Certified Fall Height Options:

- 25_{mm} foam pad meets up to 5' fall height
- 35_{mm} foam pad meets up to 6' fall height
- 45_{mm} foam pad meets up to 7' fall height
- 55_{mm} foam pad meets up to 8' fall height
- 55_{mm} over 35_{mm} foam pad meets up to 10' fall height
- 55_{mm} over 55_{mm} foam pad meets up to 12' fall height



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PlayGround Turf 80™

Description: PlayGround Turf 80™ takes playground surfacing to a new level! Designed specifically for playgrounds, PlayGround Turf™ is available in a variety of colors and includes premium safety features. Antistatic yarn is used to prevent children and adults from being shocked by playground equipment, while antimicrobial properties kill bacteria. Together, this results in a more sanitary, safe play surface for people of all ages to enjoy!

Applications: Community, school or daycare play areas

Face Weight: 80 oz.

Pile Height: 1.25"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with a green and tan thatch layer. Also available in red, white, yellow, and light blue.

Yarn Type: 8,000 denier, two-tone polyethylene blades with a 5,000 denier, texturized polyethylene thatch layer. PlayGround Turf 80™ yarn is manufactured to include antimicrobial additives and antistatic properties.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 9.1 oz., stabilized, multi-layered, knitted polyethylene with 5 pic Action Bac

Secondary Backing: 18 oz., polyurethane coating

Total Weight: 107.1 oz.

Perforations: 3" x 4" on center

Infill Requirements: 2 lbs/sf

Warranty: 10-year commercial | 16-year residential



PlayGround Turf 80™

- Go green for a more realistic look or explore colorful design possibilities!
- Premium safety features include antimicrobial additives and antistatic yarn
- Highly durable surfacing designed specifically for playgrounds



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PlayGround Turf 55™

Description: PlayGround Turf 55™ is our standard playground turf product but don't let that fool you. Most turf companies offer a landscape turf with a "playground" label. PlayGround Turf 55™ was made specifically for playgrounds with advanced features including antistatic yarn and antimicrobial additives. PlayGround Turf 55™ also has a lower pile height to maintain the density that helps keep the turf mat-resistant.

Applications: Community, school or daycare play areas

Face Weight: 55 oz.

Pile Height: 1.0"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with a green and tan thatch layer. Also available in yellow, orange, tan, white, navy blue and light blue.

Yarn Type: 8,000 denier, two-tone polyethylene blades with a 5,000 denier, texturized polyethylene thatch layer. PlayGround Turf 55™ yarn is manufactured to include antimicrobial additives and antistatic properties.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 9.1 oz., stabilized, multi-layered, knitted polyethylene with 5 pic Action Bac

Secondary Backing: 18 oz., polyurethane coating

Total Weight: 82.1 oz.

Perforations: 3" x 4" on center

Infill Requirements: 2 lbs/sf

Warranty: 10-year commercial | 16-year residential



PlayGround Turf 55™

- Go green for a more realistic look or explore colorful design possibilities!
- Premium safety features include antimicrobial additives and antistatic yarn
- Highly durable surfacing designed specifically for playgrounds



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Poured-In-Place Rubber

Description: Our Poured Rubber is a 2-layer system that includes premium TPV rubber granules and a safe basemat that is not derived from recycled tires. The numerous color options present an opportunity for imagination and creative design. Along with being IPEMA-Certified for public play surfacing, poured-in-place rubber is ASTM and ADA-compliant and qualifies for LEED credits. The rubber can be used at varying degrees of thickness to achieved required levels of fall height protection, up to 12'.

Applications: Playgrounds, exercise stations and walkways

Color: 19 solid colors with custom color blend and logos available upon request

Basemat: 100% pre-consumer recycled rubber


Topcoat: TPV premium rubber granules, polyurethane and either aromatic or aliphatic urethane binder

Warranty: 5-year standard | 10-year MegaPlay-10



Poured Rubber

- IPEMA-Certified for public play surfacing
- Varying degrees of thickness are used to achieve fall height protection up to 12'
- ASTM and ADA-compliant and qualifies for LEED credits
- Use alone or alongside Perfect Turf® for endless design possibilities





PerfectLawn Series™

A Superior Choice for Landscape Design

Our landscaping products offer a fresh take on synthetic turf surfacing for commercial, municipal and residential locations. Each product has been carefully crafted to mimic the lush, natural characteristics of a healthy lawn.

Synthetic landscaping grass is an exceptional alternative to problematic areas where grass is hard to grow or maintain. Transform those difficult outdoor spaces into fresh green lawns or creative backyard oases. Best of all? Enjoy the natural aesthetic and smooth surface of our landscaping products all year long!

Natural 74™

The Natural products have thin blades, meant to replicate the look of rye grass. Despite the thin profile, the yarn thickness is 240 microns, creating full, more durable grasses.



Natural 54™



NEW!

PerfectSod 80™ & PerfectSod 55™

Introducing PerfectSod, a unique combination of yarn fibers, face weight and pile height that has resulted in one of the softest products on the market.

HomeTurf 53™

A budget-friendly option for DIY projects of any size.



Natural 74™

Description: Natural 74 has a higher face weight, thin blades and a tan thatch layer to replicate the look of organic rye grass.

Despite a thin profile, the yarn used to create the turf results in a full, smooth and authentic-looking product. Natural 74 provides a fresh, green solution to otherwise muddy areas where weeds or water tend to accumulate.

Applications: Ideal for low to medium traffic areas, including public or private landscaping, golf fringe, pool surrounds, road medians, and other municipal spaces

Face Weight: 74 oz.

Pile Height: 1.575"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with a green and tan thatch layer

Yarn Type: 8,100 denier, two-tone polyethylene blades with a texturized 3,600 denier, two-tone polypropylene thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 102 oz.

Perforations: 2" x 4" on center

Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Natural 74™

- Smooth texture with a natural aesthetic
- Low-maintenance solution for areas where grass is hard to grow
- Perfect surface for:
 - Commercial, municipal and residential landscaping
 - Golf fringe
- Plush surface adds cushion underfoot



ASTM testing available upon request.
Specifications are subject to a
variance of +/- 5% for Face Weight
and +/- 0.125" for Pile Height.



Natural 54™

Description: Natural 54 has a more natural appearance than other 50 to 58 oz. landscaping products. With a slightly shorter blade height, Natural 54 offers a dense, smooth texture, without the cost of a product requiring more yarn. Natural 54 lives up to its name, providing a natural, lush and resilient landscaping alternative.

Applications: Ideal for low to medium traffic areas, including public or private landscaping, golf fringe, pool surrounds, road medians, and other municipal spaces

Face Weight: 54 oz.

Pile Height: 1.5"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with a tan and green thatch layer

Yarn Type: 6,300 denier, two-tone polyethylene grass blade with a 3,600 denier, two-tone polyethylene thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 82 oz.

Perforations: 2" x 4" on center


Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Natural 54™

- Smooth texture with a natural aesthetic
- Low-maintenance solution for areas where grass is hard to grow
- Perfect surface for:
 - Commercial, municipal and residential landscaping
 - Golf fringe
- High-quality, cost-effective alternative to mud or patchy grass



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PerfectSod 80™

Description: Our new PerfectSod 80 stands out as one of the softest turf products on the market! PerfectSod 80 is among our landscaping products with a higher face weight and pile height, promising that fresh, full spring look all year round. Whether converting hard-to-maintain areas or creating low-maintenance landscape designs, PerfectSod 80 is a superior choice for landscaping projects.

Applications: This turf is ideal for low to medium traffic areas, including public or private landscaping, golf fringe, pool surrounds, road medians, and other municipal spaces.

Face Weight: 80 oz.

Pile Height: 1.75"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with a green and tan thatch layer

Yarn Type: 9,000 denier, texturized polyethylene blades with a 5,000 denier, two-tone polyethylene thatch layer and 3,000 denier, semi-texturized fibers. Blades are formed into a "W" shape for enhanced resiliency and aesthetics.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 7.5 oz., stabilized, multi-layered, woven polypropylene

Secondary Backing: 18.0 oz., polyurethane coating

Total Weight: 105.5 oz.

Perforations: 3" x 4" on center

Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Introducing PerfectSod 80™

- Full, smooth texture with exceptionally natural aesthetic
- Enables low-maintenance landscape design
- Perfect surface for:
 - Commercial, municipal and residential landscaping
 - Golf fringe
- Premium landscaping turf that is one of the softest products on the market



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PerfectSod 55™

Description: PerfectSod 55 shares the exceptionally soft surface of its 80 oz. counterpart, but serves as a cost-effective option. Designed to look and feel like natural grass, PerfectSod 55 has slightly shorter, dense blades, that maintain a thick, smooth texture and aesthetic. With minimal maintenance, PerfectSod offers an environmentally-friendly landscaping alternative to mud or patchy, dead grass. Make the change and enjoy a crisp, green lawn with PerfectSod 55!

Applications: This turf is ideal for low to medium traffic areas, including public or private landscaping, golf fringe, pool surrounds, road medians, and other municipal spaces.

Face Weight: 55 oz.

Pile Height: 1.25"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with a green and tan thatch layer

Yarn Type: 7,300 denier, texturized polyethylene blades with a 5,000 denier, two-tone polyethylene thatch layer and semi-texturized fibers. Blades are formed into a "W" shape for enhanced resiliency and aesthetics.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 7.5 oz., stabilized, multi-layered, woven polypropylene

Secondary Backing: 18.0 oz., polyurethane coating

Total Weight: 80.5 oz.

Perforations: 3" x 4" on center


Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Introducing PerfectSod 55™

- One of the softest products on the market
- Full, smooth texture with an exceptionally natural aesthetic
- Low-maintenance solution for areas where grass is hard to grow
- Perfect surface for:
 - Commercial, municipal and residential landscaping
 - Golf fringe



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



HomeTurf 53™

Description: HomeTurf 53™ is a quality turf that can be used for a wide range of applications. HomeTurf 53 is budget-friendly, offering significant value when compared to products sold at local big-box stores. This product is available for purchase, at BuyHomeTurf.com.

Applications: Ideal for low to medium traffic areas, including public or private landscaping, golf fringe, pool surrounds, road medians, and other municipal spaces

Face Weight: 53 oz.

Pile Height: 1.4"

Roll Width: 15' wide rolls (180")

Yarn Color: Two-tone grass blades with a green and tan thatch layer

Yarn Type: 10,800 denier, monofilament polyethylene grass blades with a 4,000 denier, two-tone polypropylene thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 81 oz.

Perforations: 2" x 4" on center with large, 6mm drainage holes


Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



HomeTurf 53™

- Low-cost, high-quality synthetic turf
- Perfect for DIY projects or large, budget-friendly applications
- Compare it to turf from your local big-box store



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Rugged Landscape Series®

Durability has never looked so good!

Our line of resilient landscaping turf stands up to the elements and high foot traffic. From the rooftops to the streets below, Perfect Turf offers tough, adaptable products for any project!

PerfectLawn 82™

Thick, extra tough, mat-resistant turf designed for high-traffic areas.



Agility 69™

Versatile turf for golf fringe, recreation fields, public walkways or community surfaces.



Fire Rated 60™

Realistic-looking turf with a Class A / Class 1 fire rating.



Nylon Landscape 55™

A melt-resistant, highly durable, all-nylon turf for everything from rooftops to storefronts.





PerfectLawn 82™

Description: PerfectLawn 82™ is the first of its kind, unique in its ability to be mat-resistant. Innovative design, including a high face weight and uniquely-shaped blades, allow for unprecedented resiliency among landscaping products. To enjoy the benefits of synthetic turf in heavily frequented places, choose PerfectLawn 82!

Applications: High-traffic landscaping, pool surrounds, parkways, road medians, walkways, and golf fringe

Face Weight: 82 oz.

Pile Height: 1.575"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone blades with tan and green thatch layer

Yarn Type: 10,800 denier, two-tone polyethylene grass blades with a 4,000 denier, two-tone polypropylene thatch layer. Blades are formed into a W-shape for maximum resilience.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 110 oz.

Perforations: 2" x 4" on center

Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



PerfectLawn 82™

- Another Perfect Turf first: mat-resistant synthetic grass!
- Full, natural aesthetic
- Designed specifically for high-traffic areas



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Agility 69™

Description: Agility 69 is an extremely durable, versatile turf made of 1-inch blades and 69 ounces of compressed yarn, per square yard. This turf product is aptly named and perfect for a variety of recreational surfacing applications.

Applications: Golf fringe, indoor or outdoor recreation, athletic training, commercial or residential landscaping, and municipal walkways

Face Weight: 69 oz.

Pile Height: 1"

Roll Width: 15' (180") wide rolls

Yarn Color: Monotone green, two-tone or three-tone options, all with a field green thatch layer

Yarn Type: 10,800 denier, monofilament polyethylene blades with a texturized, 5,000 denier, monofilament polyethylene thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 20 oz.
polyurethane

Total Weight: 95 oz.

Perforations: 4" x 4" on center

Infill Requirements: 1.5-3 lbs/sf
based on application

Warranty: 10-year commercial | 16-year residential



Agility 69™

- Highly durable surface for exercise or sports facilities including:
 - Batting cages
 - Gaga pits
 - Golf fringe
 - Indoor soccer and training facilities
 - Fitness centers
- Fresh, clean look for road medians, parkways and storefronts



ASTM testing available upon request.
Specifications are subject to a
variance of +/- 5% for Face Weight
and +/- 0.125" for Pile Height.



Fire Rated 60™

Description: Fire Rated 60 is a certified product for applications where local ordinances or customer preference require a Class A/Class 1 fire rating. Fire Rated 60 offers notable resistance to melting, providing a durable surface in areas often exposed to the sun's reflected UV rays.

Applications: Rooftops, balconies, or anywhere that Class A/Class 1 fire-rated turf is required or preferred

Face Weight: 60 oz.

Pile Height: 1.1"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone blades with tan and green thatch layer

Yarn Type: 13,000 denier, two-tone polyethylene grass blades with a 3,150 denier, two-tone polypropylene thatch layer. Blades are formed into a "V" shape for maximum resiliency and aesthetics.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 7 oz., 2-layer polybac with stabilization layer

Secondary Backing: 22 oz. polyurethane

Total Weight: 89 oz.

Perforations: 4" x 8" on center


Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Fire Rated 60™

- Realistic-looking Class A/Class 1 fire-rated turf
- Thick, hardy fibers for demanding rooftop, residential, or commercial applications



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Nylon Landscape 55™

Description: Nylon Landscape 55 is an all-nylon turf, designed for heat resistance and durability. Landscape 55 offers a crisp, clean appearance and a low-maintenance grass alternative. The turf's rugged features make it a great option for outdoor amenity spaces and surfaces that are exposed to the sun's reflected UV rays.

Applications: Areas subjected to extreme temperatures or heavy foot traffic, including rooftops, landscaping, and walkways

Face Weight: 55 oz.

Pile Height: 1.25"

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone green with tan and green thatch layer

Yarn Type: 8,000 denier, two-tone nylon blades with a 3,600 denier, two-tone nylon thatch layer

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 24 oz. polyurethane

Total Weight: 85 oz.

Perforations: 4" x 4" on center

Infill Requirements: 1.5-3 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Nylon Landscape 55™

- Higher melting point lessens probability of heat-related damage
- Durable and low-maintenance
- **NOTE:** Landscape 55 is not a soft turf. It was designed for elevated temperatures and high-traffic spaces



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Golf Series™

Proven Solutions for Driving Ranges and Putting Greens

Perfect Turf is featured worldwide at premier driving ranges like Top Golf®. Our Golf Series products have been chosen for personal putting greens by experts like U.S. Open winner, Webb Simpson.

RangeTurf™ Premium

The exceptional, seam-tape ready driving range turf used by premier ranges around the world.



PerfectPutt 100™

Our premium, infilled putting green surface, made to putt like a natural green.



RangeTurf™ Standard

A budget-friendly driving range option that outperforms the competition.



Multi-Use 48™

A short, dense turf for golfers seeking the fastest possible stimp, on a quality green.



Nylon 38-36™

Rubber-backed turf for a quick installation and a crisp, clean aesthetic.





RangeTurf™ Premium

Description: Perfect Turf® is proud of our RangeTurf™ products, specifically designed for some of the top driving range companies in the world. Our premium product was made to be aesthetically superior, yet durable enough to handle ball pickers and plows. In addition, RangeTurf™ was designed to protect golf ball covers, providing cost savings for range owners. RangeTurf™ also comes seam-tape ready, which can significantly reduce labor and disposal expenses.

Applications: Driving ranges

Face Weight: 52 oz.

Pile Height: 1.5"

Roll Width: 15' (180") wide rolls

Yarn Color: Emerald (rough), olive (fairway), tan (sand), or lime (accent), all with a green thatch layer

Yarn Type: Alternating rows of 8,000 denier, monofilament polyethylene blades and 10,000 denier, slit film polyethylene blades. Thatch layer is a 5,000 denier, curled polyethylene fiber.

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 80 oz.

Perforations: Available upon request. Contact us for details.

Infill Requirements:

Approximately 4 lbs/sf

Warranty: 8-year manufacturer's warranty



RangeTurf™ Premium

- Custom-designed to be a superior driving range product
- Improved design extends the life of golf balls
- Higher face weight for enhanced aesthetics and improved durability
- As the country's leading producer of driving range turf, Perfect Turf® is uniquely qualified to help you find the best surface for your facility.



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



RangeTurf™ Standard

Description: RangeTurf™ Standard is a high-quality, custom-designed product used in facilities around the world. With a slightly lower face weight, RangeTurf™ Standard is a budget-friendly alternative to natural grass. RangeTurf™ products come seam-tape ready, helping cut down on additional expenses such as labor and disposal costs. Our standard turf protects golf ball covers, and offers a resilient surface with a fresh, clean aesthetic.

Applications: Driving ranges

Face Weight: 40 oz.

Pile Height: 1.5"

Roll Width: 15' (180") wide rolls

Yarn Color: Emerald (rough), olive (fairway), tan (sand), or lime (accent), all with a green thatch layer

Yarn Type: Alternating rows of 8,000 denier, monofilament polyethylene blades and 10,000 denier, slit film polyethylene blades. Thatch layer is a 5,000 denier, curled polyethylene fiber.

Construction Details: Type: Tufted | Gauge: 1/2"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 68 oz.

Perforations: Available upon request. Contact us for details.

Infill Requirements: Approximately 4 lbs/sf

Warranty: 8-year manufacturer's warranty



RangeTurf™ Standard

- Custom-designed to be a superior driving range surface
- Longer lifespan results in cost-savings over natural grass
- As the country's leading producer of driving range turf, Perfect Turf® is uniquely qualified to help you find the best surface for your facility.



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



PerfectPutt 100™

Description: PerfectPutt 100 is our premium, sand infill product for putting greens. PerfectPutt 100 is designed to be used with 4 to 6 pounds of infill, per square foot. This allows the turf to hold shots from up to 100 yards away. It also provides an excellent putting surface, capable of a range of stimp speeds, depending on the owner's preference.

Applications: Putting greens, and tennis courts

Face Weight: 35 oz.

Pile Height: 1.125"

Roll Width: 15' (180") wide rolls

Yarn Color: Golf green

Yarn Type: 6,000 denier, polypropylene

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 7.5 oz., stabilized, multi-layered, knitted polypropylene

Secondary Backing: 20 oz., DuraLock polyurethane

Total Weight: 62.5 oz.

Perforations: None

Infill Requirements: 4-6 lbs/sf

Warranty: 10-year manufacturer's warranty



PerfectPutt 100™

- Holds shots from up to 100 yards away
- Product of choice for 2012 U.S. Open winner Webb Simpson's personal putting green
- Offers a variety of stimp speeds



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Multi-Use 48™

Description: Multi-Use 48 is a short, dense turf that is less abrasive than traditional nylon turf products. As the name implies, Multi-Use 48 offers a vibrant green surfacing solution for a variety of purposes. The product comes in two lengths to suit indoor or outdoor applications. Outdoor applications generally require infill, while indoor applications do not.

Applications: Indoor or outdoor putting greens, batting cages, training facilities, bocce courts, basement floors and more!

Face Weight: 48 oz.

Pile Height: Indoors: 3/8" | Outdoors: 5/8" to allow for infill

Roll Width: 15' (180") wide rolls

Yarn Color: Two-tone natural green

Yarn Type: 6,000 denier, two-tone texturized polyethylene

Construction Details: Type: Tufted | Gauge: 3/16"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 76 oz.

Perforations: Not standard but available upon request

Infill Requirements: 0-1 lbs/sf of 20-40 sieve rate infill for outdoor applications only

Warranty: 10-year commercial | 16-year residential



Multi-Use 48™

- Versatile, budget-friendly option for recreational surfacing
- Vibrant color helps maintain a fresh, clean aesthetic
- No infill necessary for indoor applications



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Nylon 38-36™

Description: Nylon 38-36 uses two colors of yarn, resulting in a more aesthetically-pleasing recreational surface. This multipurpose product is easy to install and low-maintenance. Start putting or playing on your new turf within minutes of unrolling!

Applications: Indoor or outdoor putting greens, balconies, patios, batting cages, walkways, athletic training facilities, and rooftops

Face Weight: 36 oz.

Pile Height: 3/8"

Roll Width: 15' (180") wide rolls

Yarn Color: Olive and forest green

Yarn Type: 4,400 denier, two-tone texturized nylon

Construction Details: Type: Tufted | Gauge: 3/16"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: Standard product includes rubberized action backing for flexibility and additional dimensional strength. Alternatives are available upon request. Contact us for details.

Perforations: None

Infill Requirements: 0-2 lbs/sf based on application

Warranty: 10-year commercial | 16-year residential



Nylon 38-36™

- Two-tone blades allow for crisp, clean-looking surface
- Infill is optional, potentially reducing material and installation costs
- Rubberized backing makes it easy to install



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Sports Series™

Tough turf that's ready for the competition!

Our range of products include custom-designed, padded turf and an infill-ready turf created for maximum mobility. Find out how Perfect Turf can take your game to the next level!


Bocce 125™

The premier, infilled bocce turf system designed to be installed over aggregate.



SportsTurf 40™

Affordable rubber or sand-infilled turf that provides the best value in the game.



Padded Turf™

Custom-made turf attached to 5mm pad eliminates the need for infill.





Bocce 125™

Description: Perfect Turf® Bocce 125 is a premium-quality, infilled synthetic turf product. Bocce 125 provides an outstanding rolling surface that can attain a variety of speeds, depending on the owner's preference. A lush, green aesthetic and superior performance - game on!

Applications: Bocce courts

Face Weight: 35 oz.

Pile Height: 1.125"

Roll Width: 15' (180") wide rolls

Yarn Color: Golf green

Yarn Type: 6,000 denier, polypropylene

Construction Details: Type: Tufted | Gauge: 3/8"

Primary Backing: 7.5 oz., stabilized, multi-layered, knitted polypropylene

Secondary Backing: 20 oz., DuraLock polyurethane

Total Weight: 62.5 oz.

Perforations: None


Infill Requirements: 4-6 lbs/sf

Warranty: 10-year manufacturer's warranty



PERFECT TURF® Bocce 125™

- Turn unused space into a new bocce court
- Use a 20mm foam pad underneath the turf to minimize base divots



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



SportsTurf 40™

Description: SportsTurf 40 is a customizable athletic surface that can be manufactured to meet your specific turf needs. Tough enough to withstand heavy foot traffic, SportsTurf 40 can be infilled with coated sand or rubber, depending on the application. Long-lasting and economical, SportsTurf is a serious contender!

Applications: Indoors or outdoors for athletic fields, and training facilities

Face Weight: 40 oz.

Pile Height: 1.5"

Roll Width: 15' (180") wide rolls

Yarn Color: Standard two-tone green, with custom configurations and yarn types available upon request

Yarn Type: Polyethylene monofilament, slit film, or an alternating combination

Construction Details: Type: Tufted | Gauge: 1/2"

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: 22 oz. polyurethane

Total Weight: 68 oz.

Perforations: 4" x 3" standard with custom backing available upon request

Infill Requirements: 3-6 lbs/sf based on application

Warranty: 10-year, exclusive Perfect Turf® warranty



SportsTurf 40™

- Cost-effective surface for athletic facilities or fields
- Yarn color, type and backing can be customized
- Durable sports surfacing for high volumes of foot traffic



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Padded Turf™

Description: Padded Turf is one of our custom-order products, typically made for indoor training facilities. Padded Turf offers the perfect, no-infill athletic field and training surface. Contact us to discuss what options may be best suited for your application.

Applications: Indoor batting cages, soccer fields, and training facilities

Pile Height: Based on consumer preference. Contact us for details.

Roll Width: 15' (180") wide rolls

Primary Backing: 6 oz., 2-layer polybac

Secondary Backing: Based on consumer preference

Perforations: Not standard, but available upon request

Infill Requirements: None

Warranty: 10-year, exclusive Perfect Turf® warranty



Padded Turf™

- Custom orders only
- Padding helps prevent injuries and improves participant experience when used for athletic applications
- No infill necessary!



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



Plastic Drain Tiles

Description: Our custom-designed 12" x 12" drain tiles are an innovative solution for installing Perfect Turf® over hard surfaces. The drain tiles provide an aeration layer to prevent mold and mildew and can be installed as a permanent or portable system.


Our new, optional flushing system uses the channels beneath the tiles to push water throughout the area. These features work together to combat odor and create a cleaner turf system.

Applications: Over hard surfaces such as concrete, asphalt, and decking

Dimensions: 12" x 12"


Height: 1.375"

Material: Polypropylene plastic




Perfect Turf® Drain Tiles


- Can be used indoors or outdoors
- Enhanced aeration layer prevents buildup of mold and mildew
- Channels under tiles designed for use with an optional PVC flushing system



ASTM testing available upon request. Specifications are subject to a variance of +/- 5% for Face Weight and +/- 0.125" for Pile Height.



COOLING FOR COMFORT, SAFETY & PERFORMANCE



PET & FAMILY FRIENDLY

NO MICROPLASTIC POLLUTANTS

INHIBITS MOLD & PET ODORS




- ✓ **EPA REGISTERED**
- ✓ **NON-TOXIC**
- ✓ **INHIBITS BACTERIA**

Evaporative Cooling Technology. Invented to solve the real-life problem of synthetic turf surfaces becoming excessively hot on sunny days. T°Cool® is an industry-leading, patented technology that dramatically reduces the surface temperature. This is achieved through the natural process of evaporative cooling.

How It Works. T°Cool® works on the same principle as perspiration. Stored moisture is slowly released, removing heat energy and allowing the turf surface to cool.

How Cool? For How Long? T°Cool® is optimal for maximum cooling, yielding 30° to 50° lower surface temperatures. These reduced temperatures are 100% validated by independent studies. T°Cool® is long-lasting and easily rechargeable!



For ordering and questions, contact Perfect Turf at **888.796.8873** or email us at info@perfectturf.com

PerfectTurf.com



PERFECT TURF®




CADdetails
MICROSITE

**CAD details available for any application.
View and download files at,
PerfectTurf.com/CAD-Details**

PERFECT TURF®

Landscape - Standard Application - 2 Common Edges



Warranty Whitepaper Preview

Perfect Turf® LLC has built its reputation on transparency and honesty. As a result of the company's commitment to integrity, the first synthetic turf Consumer Buying Guide was created in 2007.

Now, many turf companies compete using warranties as a sales strategy. To shed light on a sometimes-convoluted topic, Perfect Turf composed the first whitepaper on artificial turf warranties.

The whitepaper addresses the following subjects:

- Why synthetic turf companies offer warranties
- What damage is covered under the warranty?
- Who is responsible for installation issues?
- Warranty length and its impact on consumer perception
- How much financial coverage does a warranty offer?
- How to identify misleading warranty information

Here is an excerpt from the cost coverage section:

Most warranties either offer the standard 8-year, 100% protection package, or a longer warranty with only partial coverage. Notice ForeverLawn's coverage plan below, found in the company's current Landscape 10-Year Limited Warranty (ForeverLawn, 2021).

What we will do:

ForeverLawn Inc., at its discretion, will repair or provide replacement for the defective product or component at a cost to the purchaser/owner based on the following table. The "price" is the price of the defective product or component at the time the warranty claim is made, or the price of a comparable product or component if the original product or component is no longer in production.

Months After Original Purchase Date	Purchaser/Owner's Cost
0-12 months	No cost
13-24 months	No cost
25-36 months	30% of replacement price
37-48 months	40% of replacement price
49-60 months	50% of replacement price
61-72 months	60% of replacement price
73-84 months	65% of replacement price
85-96 months	70% of replacement price
97-108 months	75% of replacement price
109-120 months	80% of replacement price

As outlined above, ForeverLawn will cover the full cost of replacement for the first 2 years. However, that would not be the case if the turf, which is "guaranteed" to last 10 or more years, is exposed to excessive wear after just 3 years and 1 month. At 37 months, the cost to remedy any turf damage would be 40% of the replacement price. This is not 40% of the original price, but 40% of the price that the turf sells for 3 years and 1 month later (ForeverLawn, 2021).

To request a copy of the whitepaper,
please contact us at info@PerfectTurf.com or call (888) 796-8873.

CONTACT US ABOUT

**Contractor Training
Continuing Education Events
Wholesale Pricing
Customer Support & Guidance**

(888) SYN-TURF  (888) 796-8873

info@PerfectTurf.com

www.PerfectTurf.com



To verify product certification, visit www.ipema.org



Lead Free Certificate

All Perfect Turf® branded products are tested for lead and other heavy metal content. Testing consistently shows no detectable traces of lead or other hazardous heavy metals.

ASTM F2765 is a test conducted by Testing Services Inc., in Dalton, Georgia. This assessment determines the lead and heavy metal content of a textile fiber. TSi is an independent testing laboratory, analyzing and assessing most approved federal certifications and requirements. The prerequisites of which, have been established by the FAA, FHA/HUD, Department of Interior, Department of Defense and the Department of Transportation.

The Perfect Turf® brand of synthetic turf is known for quality and value. According to our proprietary specifications, products are manufactured by some of the largest industrial facilities in the world. All Perfect Turf® manufacturing sites comply with standards ISO 9001, for quality control, and ISO 14001, for environmentally-friendly manufacturing processes.





PERFECT TURF®

(888) SYN-TURF | (888) 796-8873

PerfectTurf.com

Version - July 2022

Contact us or visit our website for product updates

Satisfied Customers Include

